

## Quick Slicks Fitment Summary (By Tire Part #)



**Quick Slicks**<sup>®</sup>  
"Made By Racers For Racers"



QS Part #	QS Ref. #	Metric		Imperial		Fitment Notes
		Width (mm)	O.D. (mm)	Width (in.)	O.D. (in.)	
BR01		14.60	27.40	0.575	1.079	BRM 1:24 Porsche 917, Ferrari 512
BR06		14.80	29.00	0.583	1.142	BRM 1:24 Group C
BR11		13.21	27.20	0.520	1.071	BRM 1:24 McLaren F1
BR15		12.25	28.40	0.482	1.118	BRM 1:24 Trans Am
CA02		9.65	21.90	0.380	0.862	Carrera AMG Mercedes DTM, Aston Martin Vantage GT3, Audi A4 DTM, Audi A5 DTM, Audi R8 LMS, BMW M4 DTM, BMW M6 GT3, BMW Z4 GT3, Corvette C7R, Ford GT (CA03), Porsche 911 RSR (CA02), Porsche GT3 RSR (CA02)
CA03		9.65	22.40	0.380	0.882	
CA06		8.35	23.60	0.329	0.929	Carrera Classic Nascar (Dodge Charger 500, Ford Torino, Plymouth Road Runner, Plymouth Superbird)
CA11		12.20	20.30	0.480	0.799	Carrera Group 5 VW Beetle
CA12		12.20	20.70	0.480	0.815	
CA16		10.20	21.85	0.402	0.860	Carrera Ferrari 458, Ferrari 599 Scalextric Jaguar I-PACE
CA21		12.44	21.35	0.490	0.841	Carrera Porsche 917K, Tow Truck, Tanker, Fire Truck
CA37		12.10	20.80	0.476	0.819	Carrera F1 (Modern)
CA90	2313300	13.60	29.30	0.535	1.154	Carrera 1/24 Corvette C6R (Race Ver.), 1/24 Ferrari 575
CB07	1406170	6.20	16.95	0.244	0.667	C.B. Design 14x6mm
CB08	1406175	6.20	17.45	0.244	0.687	
CB12	1407180	7.20	17.95	0.283	0.707	C.B. Design 14x7mm Scalextric Ford Escort (CB13)
CB13	1407185	7.20	18.45	0.283	0.726	
CB17	1408180	8.25	17.95	0.325	0.707	C.B. Design 14x8mm Scalextric Falcon XW (CB18)
CB18	1408185	8.25	18.45	0.325	0.726	
CB20	1412190	11.55	19.00	0.455	0.748	C.B. Design F1-Style Slot.it F1 Policar F1 Monoposto, Lotus 72 Revell-Monogram Greenwood Corvette (CB23)
CB21	1412195	11.55	19.50	0.455	0.768	
CB22	1412200	11.55	19.85	0.455	0.781	
CB23	1412205	11.55	20.35	0.455	0.801	
CB20	1412190	11.55	20.00	0.455	0.787	C.B. Design 15x12mm
CB21	1412195	11.55	20.50	0.455	0.807	
CB22	1412200	11.55	21.05	0.455	0.829	
CB23	1412205	11.55	21.55	0.455	0.848	
CB27	1507200	7.30	19.95	0.287	0.785	C.B. Design 15x7mm Cartrix F1 (CB27, CB28, CB29*) MRRC Kellison, Cheetah, Cobra Ninco Classics (exc. Cobra) - Austin Healey LeMans, 56' Corvette, Ferrari 166 Barchetta, Ferrari 250 Testarossa (TR), Jaguar E-type (XKE), Jaguar XK120, Porsche 356, Porsche 550 Spyder Pioneer Camaro (CB28) Scalextric Lotus 25 (CB28)
CB28	1507205	7.30	20.45	0.287	0.805	
CB29	1507215	7.30	21.50	0.287	0.846	
CB30	1507225	7.30	22.50	0.287	0.886	

## Quick Slicks Fitment Summary (By Tire Part #)



**Quick Slicks®**  
"Made By Racers For Racers"



QS Part #	QS Ref. #	Metric		Imperial		Fitment Notes
		Width (mm)	O.D. (mm)	Width (in.)	O.D. (in.)	
CB32	1508190	9.14	18.95	0.360	0.746	<p><b>C.B. Design 15x8mm</b>  <b>Slot.it</b> 15x8mm, 16.5x8mm, Alfa 33/3, Alfa Romeo 155, Audi R8C (original), Chapparral 2E, Ferrari 312PB, Ford GT40, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85, Matra MS670B, Mazda 787B, McLaren F1 (Raw), McLaren M8D, Mercedes 190 DTM (CB34), Mercedes Sauber C9, Nissan R390 (Raw), Nissan R89C, Opel Calibra, Porsche 956, Porsche 962, Toyota 88C  <b>NSR</b> 15x8mm, Ford GT40, Fiat Abarth 500, Ford Mk IV, Ford P68, Mosler MT900R, Porsche 908/3, Porsche 917K  <b>Policar</b> Ferrari 312 PB, Ferrari 330 P4 (CB33*, CB34, CB35), Toyota GT86 (CB32, CB33*)  <b>Racer</b> BMW 320, Capri, Lancia Beta Montecarlo, Lancia Stratos, Mustang, Porsche 935/K2, Porsche 935/77A, Porsche 935/78  <b>Ninco</b> Mini-Cooper, Rally, Pro-Race 15 Wheels #80718  <b>Salextrix</b> BMW Mini (CB33), BMW Z4, BTCC BMW 125 (CB33), BMW E30 M3 DTM (CB33), BTCC Honda Civic (CB33), BTCC MG6 (CB33), DeLorean (CB36), Ford Thunderbird Stock Car<sup>1</sup> (CB35)  <b>MRSLOTCAR</b> Mazda 787 (CB33)  <b>SCX</b> Morgan Aero 8, Rally, Seat Cupra GT, Tuner Car 2, BMW 320i  <b>Slotting Plus</b> 14.6x8.0mm, 15.0x8.0mm, 15.9x8.0mm, 16.2x8.5mm  <b>SRC</b> Porsche 914/6 (CB34)  <b>BRM</b> 1:32 S-110 22x9mm, 1:32 S-111 22x9mm  <b>Artin</b> Mercedes CLK, Porsche GT1  <b>Cartrix</b> BMW, Porsche  <b>FLY</b> Racing EVO3 - Capri, Saleen, 911 GT1 (CB33, CB34)</p>
CB33	1508195	9.15	19.45	0.360	0.766	
CB34	1508200	9.15	19.95	0.360	0.785	
CB35	1508205	9.15	20.45	0.360	0.805	
CB36	1508210	9.15	20.95	0.360	0.825	
CB32	1508190	9.15	20.30	0.360	0.799	
CB33	1508195	9.15	20.80	0.360	0.819	
CB34	1508200	9.15	21.20	0.360	0.835	
CB35	1508205	9.15	21.45	0.360	0.844	
CB36	1508210	9.15	21.75	0.360	0.856	
CB41	1510190	10.30	18.95	0.406	0.746	<p><b>C.B. Design 15x10mm</b>  <b>Scaleauto</b> Pantera Group 3  <b>Salextrix</b> Lancia Stratos (CB41, CB42), Ford GTE (CB44)  <b>Sloter</b> Ferrari 312 PB (CB42, CB43, CB44), Lola T290 (CB42, CB43, CB44)</p>
CB42	1510195	10.30	19.45	0.406	0.766	
CB43	1510200	10.30	19.90	0.406	0.783	
CB44	1510205	10.30	20.45	0.406	0.805	
CB46	1511198	11.20	19.80	0.441	0.780	<p><b>C.B. Design 15x11mm</b>  <b>FLY</b> Classic Series, Carrera Six, Chevron, Ferrari 512, Lola T70, Porsche 908, Porsche 911 GT1 EVO, Porsche 917K  <b>Flyslot</b> Lola T70, Ford MkII, Porsche 911 Carrera RS, Porsche 917LH  <b>GB Track</b> Chevron  <b>Slotwings</b> Lola T70  <b>Spirit</b> Classic Series, MG Lola, Reynard  <b>TSRF</b> 1/32</p>
CB47	1511203	11.20	20.25	0.441	0.797	
CB48	1511207	11.20	20.65	0.441	0.813	
CB49	1511211	11.20	21.05	0.441	0.829	
CB52	1512200	11.45	19.95	0.451	0.785	
CB53	1512205	11.45	20.45	0.451	0.805	

## Quick Slicks Fitment Summary (By Tire Part #)



**Quick Slicks**<sup>®</sup>  
"Made By Racers For Racers"



QS Part #	QS Ref. #	Metric		Imperial		Fitment Notes
		Width (mm)	O.D. (mm)	Width (in.)	O.D. (in.)	
CB57	1710200	10.30	20.05	0.406	0.789	<p><b>C.B. Design 17x10mm</b>  <b>Slot.it</b> 17x10mm, Audi R18 TDI, Audi R18 e-tron, Audi R8C (Reloaded), Ferrari F40, Lola Aston Martin, Lola B09/60, Lola B10/60, Lola B11/80, Lola B12/80, McLaren F1 GTR (original), Nissan R390 GT1, Nissan R390 LT, Porsche 911 GT1 EVO98  <b>Carrera</b> C6R Race Liveries (not Street), Ferrari 488 (CB59), Ferrari Enzo (CB58), Lamborghini Huracan (Street - CB57, Race - CB58/CB59), Porsche RS Spyder ALMS  <b>NSR</b> 17x10mm, Corvette C6R, Abarth S2000, Audi R18 LMP, Audi R8 LMS, Porsche 997, Renault Clio Cup/R3  <b>Scaleauto</b> American 7R, Audi LMS GT3, BMW M1, BMW V12 LMR, BMW Z4 GT3, C8 Spyker GT2R, C8 Laviolette GT2R, Corvette C75, De Tomaso Pantera (All), Ford RS200, Honda HSV-010 Super GT, Mercedes SLS GT3, MG Metro 6R4, Peugeot P208 T16, Porsche 991 RSR, Porsche Carrera RS, Porsche Carrera RSR 3.0, Porsche 935-76, Porsche 935-77, Porsche 959, Radical LMP SR9, Saleen S7R, SRT Viper GTS-R, Subaru Impreza WRC  <b>Scalextric</b> Aston Martin Vantage GT3 - Inline (CB58), Daytona Prototype (CB58), Ford GT GTE (CB59), Ford Mustang GT4 (CB59), Ginetta G60-LT-P1 (CB58, CB59*), Lamborghini Centenario (CB58), McLaren F1 GTR (CB59), McLaren 720S (CB58), Porsche Boxster  <b>Sideways</b> BMW M1, BMW M6, Daytona Prototype (Dallara &amp; Riley), Ferrari 512BB, Lamborghini Huracan, Nissan Skyline Group 5 (CB58)  <b>Sloting Plus</b> 16.9x8.5mm, 16.9x10.0mm, 17.2x9.0mm, 17.5x9.0mm  <b>Policar</b> Ferrari F40  <b>Ninco</b> Lightning Pro Race  <b>SCX</b> Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP  <b>ProSlot</b> Porsche GT2, Toyota GT1</p>
CB58	1710205	10.30	20.55	0.406	0.809	
CB59	1710210	10.30	21.05	0.406	0.829	
CB62	1711200	11.30	20.05	0.445	0.789	<p><b>C.B. Design 17x11mm</b>  <b>Carrera</b> Porsche 935 K3 (CB64)  <b>Scalextric</b> Aston Martin DBR9/DBS, Aston Martin Vantage GT3 - Sidewinder (CB64), Audi R8 LMS GT3 (CB64), Bentley (CB65), BMW 320i, Cadillac Northstar LMP, Dodge Viper GT (CB65), Ferrari F430, Ford GT (new), Jaguar XKR, Lamborghini Gallardo, McLaren MP4-12C, MG Lola (CB62, CB63, CB64*), Mustang FR500C, Nissan GT-R Drift, Nissan Skyline, Peugeot 908 HDI FAP, Porsche RS Spyder, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, Team GT Lightning (CB65), Team LMP (CB65), TVR T400R</p>
CB63	1711205	11.30	20.55	0.445	0.809	
CB64	1711210	11.30	21.05	0.445	0.829	
CB65	1711215	11.30	21.50	0.445	0.846	
CB66	1711219	11.30	21.90	0.445	0.862	
CB71	1513200	12.70	20.00	0.500	0.787	
CB72	1513205	12.70	20.50	0.500	0.807	<p><b>C.B. Design 15x13mm</b>  <b>NSR</b> F1 Aluminum Wheel (NSR5005)</p>
FL02		10.75	20.00	0.423	0.787	<p><b>FLY</b> BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen, Venturi, Viper (2004)  <b>Carrera</b> Ferrari 575, Porsche 918 Spyder  <b>Scalextric</b> Lister Storm (FL03)</p>
FL03		10.75	20.50	0.423	0.807	

## Quick Slicks Fitment Summary (By Tire Part #)



**Quick Slicks**<sup>®</sup>  
"Made By Racers For Racers"



QS Part #	QS Ref. #	Metric		Imperial		Fitment Notes
		Width (mm)	O.D. (mm)	Width (in.)	O.D. (in.)	
FL06		15.40	21.35	0.606	0.841	FLY Brabham BT44 March 761 Slotwings March 761
FL07		15.40	21.10	0.606	0.831	FLY Brabham BT44, Lotus 78, Williams
FL91		9.60	26.10	0.378	1.028	CB Design 1/24 Classic Steel Wheels (Narrow), FLY Trucks Scalextric Trucks (FL91)
FL92		9.60	26.60	0.378	1.047	
HR01		10.50	26.85	0.413	1.057	CB Design 1/24 Wheels (Narrow - Center Rib) H&R 27x12mm Wheels (Center Rib)
HR02		10.50	26.85	0.413	1.057	CB Design 1/24 Wheels (Narrow - NO Center Rib) H&R 27x12mm Wheels (NO Center Rib)
HR11		16.50	28.00	0.650	1.102	CB Design 1/24 Wheels (Wide - Center Rib) H&R 27x18mm Wheels (Center Rib)
HR12		16.50	28.00	0.650	1.102	CB Design 1/24 Wheels (Wide - NO Center Rib) H&R 27x18mm Wheels (NO Center Rib)
NC02		10.75	20.00	0.423	0.787	Ninco Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race Wheel #80740 Carrera Mercedes SLR
NC03		10.75	20.50	0.423	0.807	
NR001		11.50	19.35	0.453	0.762	NSR F1 Formula 86/89
RS75		8.90	20.83	0.350	0.820	BRM Fiat Abarth 1000 (1:24), Mini (1:24), RevoSlot Marcos LM600 (RS0013 and Earlier), Porsche 911 GT2 (RS0019 and Earlier)
SA01	23132780	13.85	28.00	0.545	1.102	Scaleauto 1:24
SC01		9.00	20.70	0.354	0.815	Scalextric Aston Martin V8, Camaro IROC-Z, Ferrari 330 P4, Monte Carlo Aero Coupe, Thunderbird Stock Car SCX Nascar, Cuda
SC02		8.35	20.45	0.329	0.805	Scalextric Trans-Am Mustang / Camaro / Challenger, 68' Corvette, Dodge Charger, Ford Escort MkI, Ford Falcon XB, Gran Torino, Mercury Cougar, Ford Falcon XB
SC11		11.20	21.60	0.441	0.850	Scalextric Corvette (New), Lotus Evora GT4 Carrera Camaro Sherriff
SC16		8.90	20.80	0.350	0.819	Scalextric GT40
SC20		10.20	20.55	0.402	0.809	Scalextric Mercedes AMG GT3, Porsche 911 RSR
SC130		10.50	20.70	0.453	0.815	Scalextric Dallary Indy, F1 (Modern), START F1
TS03		10.30	19.80	0.406	0.780	Thunder Slot McLaren Elva, 3-Rib Rear Wheels
TS04		10.30	20.24	0.406	0.797	

## Quick Slicks Fitment Summary (By Tire Part #)



**Quick Slicks®**  
*"Made By Racers For Racers"*



QS Part #	QS Ref. #	Metric		Imperial		Fitment Notes
		Width (mm)	O.D. (mm)	Width (in.)	O.D. (in.)	
TS43		9.90	19.95	0.390	0.785	<b>Thunder Slot</b> Lola T70 <b>NSR</b> 15x10mm Air-Gap Wheels <b>RevoSlot</b> Dodge Viper, Ferrari 333 SP, Marcos LM600 (RS0032 and Later), Porsche 911 GT2 (RS0030 and Later), Toyota GT-ONE, Toyota Supra <b>Slot.it</b> 15x10mm Air-Gap Wheels <b>Sideways</b> 17x10mm Air-Gap Wheels <b>TTS</b> Ford Escort Mk1 (TS44), Fiat Abarth 1000 (TS44), Simca 1000 (TS44)
TS44		9.90	20.40	0.390	0.803	